

St. Lawrence- Troy

Free Evaluation 13 Month In-Service Warranty

Design & Remanufacturing of Hydraulic Servo Actuators



Test Lab Linear Servo Actuator Remanufacturing

Remanufacturing Procedure for Fatigue Rated Rotary Actuators

1. INSPECTION



2. QUOTE REBUILD/REPLACEMENT W/TIIME FACTORS

- Actuator rebuild
- Servovalve Moog factory rebuild or replacement of obsolete servovalve with Moog test lab valve
- Swivel rebuild



- Inspect actuator for external damage
- Remove servovalve
- Disassemble



3. REMANUFACTURE COMPONENTS (AS REQUIRED)

- Grind/chrome/grind rod
- Rebuild piston outer diameter; or replace piston
- Resurface tube inner diameter; or replace tube
- Remove material and prepare bearing surfaces
- Bond coating onto end caps and piston
- Machine coated surfaces for exact fit
- Reassemble actuator





300-60

- Determine which seal kit is required; or manufacture seals if obsolete
- Inspect and test LVDT
- Take measurements of rod, piston, tube, and end caps

4. Test

- Pressurize actuator and check for internal and external leakage to meet or exceed specifications
- Cycle actuator with servo valve
- Verify proper LVDT output and position

5. FIINIISHIING PROCESS

- Degrease, clean and paint actuator
- Ready to ship



St. Lawrence –Troy

32399 Milton Madison Heights, MI 48071 Phone (248) 585-7733 Fax (248) 585-7979 www.st-lawrence.com